

# HBOR.EX26732 - Hydrants

## Hydrants

**LICHFIELD FIRE & SAFETY EQUIPMENT CO LTD**  
 UNIT 8, CALIBRE INDUSTRIAL PARK  
 LACHES CLOSE FOUR ASHES  
 WOLVERHAMPTON, WV10 7DZ United Kingdom

EX26732

### Base-valve design:

Model	Base-valve Size, in.	Hose Outlet (No. of Outlets), in.	Pumper Outlet (No. of Outlets), in.	Rated Pressure, psig
LF-FM1510A	5-1/4	(2) 2-1/2	(1) 4-1/2 threaded	250
LF-FM1510B	5-1/4	(2) 2-1/2	(1) 4 threaded	250

Model LF-FM1510A and LF-FM1510B hydrants are equipped with protective interior coatings of ferrous parts upstream of the main valve.

Model LF-FM1510A and LF-FM1510B hydrant is equipped with epoxy coatings of ferrous surfaces below the ground line.

Model LF-FM1510A and LF-FM1510B may be equipped with a breakaway traffic feature.

### Wet-barrel design:

Model	Hose Outlet (No. of Outlets), in.	Pumper Outlet (No. of Outlets), in.	Rated Pressure, psig
LF-WBHX-115	(2) 2-1/2	(1) 4-1/2 threaded	250
LF-WBHM-115	(2) 2-1/2	(1) 4-1/2 threaded	250
LF-WBHX-100	(2) 2-1/2	(1) 4 threaded	250
LF-WBHM-100	(2) 2-1/2	(1) 4 threaded	250

Trademark and/or Tradename:



Last Updated on 2022-12-30

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."