UL Product **iQ**[™]

HMER.EX6198 - Check Valves

Check Valves

See General Information for Check Valves

LICHFIELD FIRE & SAFETY EQUIPMENT CO LTD

UNIT 8, CALIBRE INDUSTRIAL PARK LACHES CLOSE FOUR ASHES WOLVERHAMPTON, WV10 7DZ UNITED KINGDOM

		Valve Seat	Nom Pipe Size,	End	Rated Pressure,	Installation
Model	Туре	Facing	NPS	Config	psig	Position
5201-300-FLF	Swing	Elastomeric	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	F by F	300	Η, V
5201-250-FLF	Swing	Elastomeric	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	F by F	250	H, V
5201-200-FLF	Swing	Elastomeric	2, 2-1/2, 3, 4, 5, 6, 8, 10, 12	F by F	200	H, V
5905-250-GLF	Swing	Elastomeric	2-1/2, 3, 4	T by G	250	H, V
5905-200-GLF	Swing	Elastomeric	2-1/2, 3, 4	T by G	200	H, V
5905-250-GLF	Swing	Elastomeric	2-1/2, 3, 4, 5, 6, 8, 10, 12	G by G	250	H, V
5905-200-GLF	Swing	Elastomeric	2-1/2, 3, 4, 5, 6, 8, 10, 12	G by G	200	H, V
5905-300-GLF	Swing	Elastomeric	2-1/2, 3, 4, 5, 6, 8, 10, 12	G by G	300	H, V
5211-175-FLF	Swing	Elastomeric	4, 6, 8, 10, 12	W	175	V

End Configuration:

F - Flanged

G - Grooved

T - Threaded

W - Wafer

Installation Position:

H - Horizontal installation

V - Vertical installation

Last Updated on 2019-07-11

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

https://iq.ulprospector.com/en/profile?e=45457

EX6198

መ

4/29/2020

HMER.EX6198 - Check Valves | UL Product iQ

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"